

# SPECIFICATION

## WHITE SPIRIT

F:245



PROPERTIES	UNIT	RESULT	TEST METHOD
Color	Say bolt	24	ASTM D 156
Flash point	°C	45	ASTM D 93
Aromatic	%Vol	32.20	ASTM D 5580
Sulphur Total	%Wt	0.0828	ASTM D 4294
Density@15°C	g/cm <sup>3</sup>	0.795	ASTM D 1298
IBP	°C	155	ASTM D 86
10% Evaporated	°C	162	
20% Evaporated	°C	165	
30% Evaporated	°C	168	
40% Evaporated	°C	171	
50% Evaporated	°C	174	
60% Evaporated	°C	179	
70% Evaporated	°C	183	
80% Evaporated	°C	193	
90% Evaporated	°C	209	
95% Evaporated	°C	223	
100% Evaporated	°C	-	
FBP	°C	245	
Cetane	°C	-	ASTM D 976

**The analysis will be customizable & produce able as per buyer's request**